



Flashing
Foamglas blocks cut in

Airtightness
tape

Tiles

Tile batten

38mm counterbatten

100mm PIR/PUR, taped seams

150mm x47 rafter, fibreglass between

Plasterboard

Junction as membrane manf. detail
inc sarking board

Airtightness membrane

Wet plaster airtightness layer

Wet plaster

Dense concrete block, 100mm

Knauf dritherm 32 batt, 200mm

Brick to match house

Ground Level

XPS, Sloped top

Airtightness
membrane

FFL

Foamglas
Perinsul
block

Quarry tiles 300x300x11mm
65mm with UFH pipes
Concrete slab 150mm
DPC - Polythene
XPS 100mm x2
Sand blinding

Footings to BC spec